

L Number	Hits	Search Text	DB	Time stamp
-	0	session same configur\$5 same (first adj computer) same (second adj computer) same resolution same GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:24
-	22	session same (re-configur\$5 or reconfigur\$5 or configur\$5) same (first adj computer) same (second adj computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:32
-	10	(session same (re-configur\$5 or reconfigur\$5 or configur\$5) same (first adj computer) same (second adj computer)) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:04
-	420	session same (re-configur\$5 or reconfigur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:13
-	0	session with (re-configur\$5 or reconfigur\$5) same resolution and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:14
-	96	session with (re-configur\$5 or reconfigur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:15
-	2	("5944791").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 14:09
-	1	"6542936".PN.	USPAT	2004/01/28 11:30
-	448	browser adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:08
-	1	shar\$3 with browser adj information and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:40
-	1	(709/(204,205,218).ccls.) and shar\$3 with browser adj information and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 11:41
-	79	(709/(204,205,218).ccls.) and browser adj information and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:02
-	359	(chang\$3 or modify\$3 or alter\$1 or add\$2 or delet\$3 or updat\$3) near4 (bookmark or favorite\$1! or history or (user adj preference) or URL\$1! or (address\$2 adj information)) same (browser\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:05
-	148	(chang\$3 or modify\$3 or alter\$1 or add\$2 or delet\$3 or updat\$3) near4 (bookmark or favorite\$1! or history or (user adj preference)) same (browser\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 13:05

-	9	browser adj information and ((chang\$3 or modify\$3 or alter\$1 or add\$2 or delet\$3 or updat\$3) near4 (bookmark or favorite\$1! or history or (user adj preference)) same (browser\$1!) and @ad<20000724)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:21
-	2548952	(transmit\$4 or transfer43 or shar\$3) user adj configur\$5 adj browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:22
-	0	(transmit\$4 or transfer43 or shar\$3) near4 user adj configur\$5 adj browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:23
-	0	user adj configur\$5 adj browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:23
-	1	user with configur\$5 adj browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:24
-	0	re-configur\$5 near3 browser adj2 (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 17:24
-	3	re-configur\$5 near3 browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:21
-	187	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with (setup or configur\$5) with browser with (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:23
-	10	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with (setup or configur\$5) adj browser with (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:31
-	0	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with ((setup or configur\$5) adj browser adj (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:31
-	1	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with ((setup or configur\$5) adj browser near (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:32
-	10	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with ((setup or configur\$5) adj browser with (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:33
-	12	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) with ((setup or configur\$5) adj browser) same (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:33
-	30	@ad<20000724 and (generat\$3 or creat\$3 or send\$3 or transmit\$4 or download\$3 or receiv\$3) same ((setup or configur\$5) adj browser) same (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 18:34

-	11	@ad<20000724 and (((generat\$3 or creat\$3) and (send\$3 or transmit\$4 or download\$3 or receiv\$3)) same (setup or configur\$5) adj browser) same (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:35
-	15	@ad<20000724 and (((generat\$3 or creat\$3) and (send\$3 or transmit\$4 or download\$3 or receiv\$3)) same (setup or configur\$5) adj browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:40
-	1	@ad<20000724 and (remote\$2 with (setup or configur\$5) adj browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:42
-	1	@ad<20000724 and (remote\$2 with (setup or \$2configur\$5) adj browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:42
-	11	@ad<20000724 and (remote\$2 same (setup or \$2configur\$5) adj browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:45
-	38	@ad<20000724 and (remote\$2 adj (setup or \$2configur\$5) same browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:47
-	31	@ad<20000724 and (remote\$2 adj (setup or \$2configur\$5) with (web or page or browser))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:49
-	0	@ad<20000724 and (remote\$2 adj (setup or \$2configur\$5) adj (web or page or browser))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:49
-	1	@ad<20000724 and (remote\$2 adj (setup or \$2configur\$5) adj (web or page or browser or display or screen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:50
-	0	@ad<20000724 and (((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) adj (setup or \$2configur\$5) adj (web or page or browser or display or screen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:51
-	33	@ad<20000724 and (((generat\$3 or creat\$3) or (transmit\$4 or send\$3 or receiv\$3 or download\$3)) adj (setup or \$2configur\$5) adj (web or page or browser or display or screen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 18:52
-	3	@ad<20000724 and (((generat\$3 or creat\$3) or (transmit\$4 or send\$3 or receiv\$3 or download\$3)) adj (setup or \$2configur\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 19:01
-	29	@ad<20000724 and (((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) with (setup or \$2configur\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 19:08
-	53	@ad<20000724 and (((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) with (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/28 19:09

-	0	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3 or remote\$2)) adj (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:09
-	1	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3 or remote\$2)) near (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:10
-	55	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3 or remote\$2)) with (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:10
-	3	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) with (setup or \$2configur\$5 or personal\$5) adj (web or page or browser) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:12
-	53	@ad<20000724 and ((generat\$3 or creat\$3) and (transmit\$4 or send\$3 or receiv\$3 or download\$3)) with (setup or \$2configur\$5 or personal\$5) adj (web or page or browser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:21
-	3	Browser\$1 near4 (configur\$5 or setup or personaliz\$5) with (load\$3 or download\$3 or transmit\$4 or transfer\$3 or receiv43) with (second or different) near3 (computer\$1! or browser\$1! or client\$1! or terminal\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:32
-	8	Browser\$1 with (configur\$5 or setup or personaliz\$5) with (load\$3 or download\$3 or transmit\$4 or transfer\$3 or receiv43) with (second or different) near3 (computer\$1! or browser\$1! or client\$1! or terminal\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:40
-	9	Browser\$1 with (configur\$5 or setup or personaliz\$5) same (load\$3 or download\$3 or transmit\$4 or transfer\$3 or receiv43) with (second or different) near3 (computer\$1! or browser\$1! or client\$1! or terminal\$1!) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:40
-	265	(email\$3 or e-mail\$3) with (browser near4 (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:22
-	63	(email\$3 or e-mail\$3) with (browser near4 (information or data)) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:23
-	3	(email\$3 or e-mail\$3) with (browser near4 (information or data)) same (configur\$5 or reconfigur\$5 or re-configur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:27
-	8	(email\$3 or e-mail\$3) same (browser near4 (information or data)) same (configur\$5 or reconfigur\$5 or re-configur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:27
-	134	(email\$3 or e-mail) same browser\$1! near3 (information or (set\$4 adj up) or data or configur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:34

-	146	(email\$3 or e-mail) same browser\$1! near3 (personal\$8 or information or (set\$4 adj up) or data or configur\$5) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 10:34
-	2	("6571245").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 13:25
-	111	(reconfigur\$5 or re-configur\$5) with (email\$3 or e-mail\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 13:26
-	19	((reconfigur\$5 or re-configur\$5) with (email\$3 or e-mail\$3)) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 13:27
-	4	((("6571245") or ("6434222"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:45
-	148	(709/204,218,248,221).ccls. and (reconfigur\$3 or re-configur\$5 or synchroniz\$5 or replicat\$3) with (browser\$1 or page\$1! or display\$3) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:39
-	44	(709/204,218,248,221).ccls. and (reconfigur\$3 or re-configur\$5 or synchroniz\$5 or replicat\$3) with (browser\$1) and @ad<20000724	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:39